

Massive Dev Chart Search Results

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Adox CHM 125	Diafine	stock	250	3+3			20C	
Adox CHM 400	Diafine	stock	800	3+3			20C	
Adox CHS 25	Diafine	stock	25		3+3		20C	
Adox CHS 50	Diafine	stock	50	4+4	4+4		20C	[40][v]
APX 100	Diafine	stock	200	3+3			20C	[30]
APX 100	Diafine	stock	250		3+3		20C	[30]
APX 25	Diafine	stock	40	3+3			20C	
APX 25	Diafine	stock	50		3+3		20C	
Argenti LSRF	Diafine	stock	50	3+3			20C	
Argenti Protopan 400	Diafine	stock	800	4+4			20C	
Arista II 100	Diafine	stock	200	3+3			20C	[30]
Arista Premium 100	Diafine	stock	400	3+3	3+3	3+3	20C	[29]
Arista Premium 400	Diafine	stock	1600	3+3			20C	[29]
Aviphot APX 400 S	Diafine	stock	500	3+3			23C	
Classic Pan 400	Diafine	stock	500	3+3			20C	
Copex Rapid	Diafine	A: 1+50, B: normal	100	3+3			20C	[36]
Delta 100 Pro	Diafine	stock	50		5+5		24C	[gv][60]
Eastman Double-X (5222)	Diafine	stock	640	3+3			20C	
Efke 25	Diafine	stock	25		3+3		20C	
Efke 50	Diafine	stock	50	4+4	4+4		20C	[40][v]
Efke IR820	Diafine	stock	100		4+3		20C	
Ektapan	Diafine	stock	400			3+3	20C	
ERA 100	Diafine	stock	200	3+3			20C	
Fomapan 100	Diafine	stock	200			3+3	20C	
Fortepan 100	Diafine	stock	320	3+3			20C	
FP4+	Diafine	stock	200			3+3	20C	
FP4+	Diafine	stock	250	3+3	3+3		20C	
HIE Infrared	Diafine	stock	320	5+5			24C	[4]
HP5+	Diafine	stock	640			3+3	20C	
HP5+	Diafine	stock	800	3+3	3+3		20C	
Legacy Pro 100	Diafine	stock	200	5+5			22C	
Legacy Pro 400	Diafine	stock	640	3+3			20C	
Neopan 100 Acros	Diafine	stock	100		4.5+4.5		20C	
Neopan 100 Acros	Diafine	stock	200	5+5			22C	
Neopan 1600	Diafine	stock	2400	3+3			20C	
Neopan 400	Diafine	stock	640	3+3			20C	
Orwo N74	Diafine	stock	400	3+3			20C	
Orwo UN54	Diafine	stock	100	3+3			20C	
Pan F+	Diafine	stock	80	3+3			20C	
Pan F+	Diafine	stock	100		3+3		20C	
Plus-X	Diafine	stock	400	3+3	3+3	3+3	20C	[29]
Polypan F	Diafine	stock	50-100	3+3			20C	
Polypan F	Diafine	stock	80	5+4			24C	
Rollei Infrared	Diafine	stock	200		3+3		22C	
Rollei Infrared	Diafine	stock	400	3+3			22C	[53][r]
Rollei Infrared	Diafine	stock	400 (12)	6+6			20C	[57]
Rollei Ortho 25	Diafine	stock	25	5+4			20C	[37]
Rollei Retro 100	Diafine	stock	200	3+3			20C	[30]
Rollei Retro 100	Diafine	stock	250		3+3		20C	[30]
Rollei Retro 400S	Diafine	stock	640-800	4+4	4+4		20C	
Rollei Retro 80S	Diafine	stock	40-80	5+3			22C	
Rollei Retro 80S	Diafine	stock	200	3+3			20C	
Rollei RPX 100	Diafine	stock	200	3+3	3+3		20C	
Rollei RPX 400	Diafine	stock	800	4+4	4+4		20C	
Rollei Superpan 200	Diafine	stock	200	5+5			20C	
Rollei Superpan 200	Diafine	stock	640-800	3+3	3+3		20C	
Shanghai GP3 Pan 100	Diafine	stock	160		3+3		20C	
Svema A2-SH	Diafine	stock	640	3+3			20C	
Technical Pan	Diafine	stock	80	3+45sec			20C	[13]

Technical Pan	Diafine	stock	100	3+1			20C	[13]
TMax 100	Diafine	stock	80	4.5+4	4.5+4		22C	[29]
TMax 100	Diafine	stock	160	3+3	3+3		20C	[29]
TMax 100	Diafine	stock	200	5+5			20C	
TMax 100	Diafine	stock	200		3+3		20C	[29]
TMax 400	Diafine	stock	500	3+3			20C	
TMax 400	Diafine	stock	640		3+3	3+3	20C	
TMax P3200	Diafine	stock	1250	3+3			20C	[29]
Tri-X 320	Diafine	stock	1000		3+3		20C	[29]
Tri-X 320	Diafine	stock	1200			3+3	20C	[29]
Tri-X 400	Diafine	stock	1600	3+3	3+3		20C	[29]
Ultrafine Xtreme 100	Diafine	stock	200-400	3+3			24C	

The Massive Dev Chart

<http://www.digitaltruth.com>

© Digitaltruth Photo Ltd, All Rights Reserved.